Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	104	gilbert-carl$.in. ghabra-riad$.in. hakim-magda$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 15:35
S2	39	S1 and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 15:33
S3	2	gilbert-carl$.in. and ghabra-riad$.in. and hakim-magda$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 15:42
S4	139	340/5.22.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 16:10
S5	482	(relearn relearning (re adj (learn learning authorize authorizing)) reauthorize reauthorizing renew renewing) with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 17:07
S6	1	S4 and (relearn relearning (re adj (learn learning authorize authorizing)) reauthorize reauthorizing renew renewing) with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 15:49
S7	36	340/5.24.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 15:48
S8	255	340/5.6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 15:48
S9	480	340/5.61.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 15:49
S10	179	340/5.65.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 15:49

S11	2	S10 and (relearn relearning (re adj (learn learning authorize authorizing)) reauthorize reauthorizing renew renewing) with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 15:50
S12	209	340/5.7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 15:50
S13	1	S12 and (relearn relearning (re adj (learn learning authorize authorizing)) reauthorize reauthorizing renew renewing) with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 15:50
S14	503	340/5.72.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 14:17
S15	1443	(inactive disabled) near3 key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 17:23
S16	5	S4 and (inactive disabled) near3 key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 16:57
S17	1	("5773803").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/15 15:54
S18	39	(S7 S8 S9 S10 S12 S14) and (inactive disabled) near3 key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 17:23
S19	6	flick-kenneth$.in. and building	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 16:21
S20	1	("5986571").URPN.	USPAT	OR	ON	2005/09/15 16:16
S21	46	flick-kenneth$.in. and (number near3 learned)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 16:21

S22	4	S12 and (inactive disabled) near3 key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 16:57
S23	181	(inactive disabled) near3 (token fob)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 17:23
S24	8	(S4 S7 S8 S9 S10 S12 S14) and (inactive disabled) near3 (token fob)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 17:26
S25	2	"4887292".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 17:27
S26	33	(lockout adj list) same key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 17:28
S27	2	(lock adj box adj "12") and (electronic adj key adj "14")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 16:27
S28	15	supra$.as. and (lock adj box) and (electronic adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 16:27
S29	5	S28 and encrypt$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 16:28
S30	49	340/5.72.ccls. and (encrypt encryption encrypting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 16:33
S31	43	340/5.73.ccls. and (encrypt encryption encrypting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 17:21

S32	6212	key and (lock locking lockbox) and (encrypt encryption encrypting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 17:22
S33	456	S32 and "340"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 17:22
S34	8	340/5.72.ccls. and password and (encrypt encrypting encryption)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 14:24
S35	8	("4763121" | "5185796" | "5561332" | "5561420" | "5684454" | "5774550" | "5945906" | "6323566").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 14:23
S36	41	340/5.72.ccls. and (key fob transponder) with (disabled (lock adj out) lockout)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 14:26
S37	3	340/5.72.ccls. and (key fob transponder) with ((lock adj out) lockout)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 14:37
S38	6	340/825.72.ccls. and (key fob transponder) with ((lock adj out) lockout)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 14:29
S39	6	340/825.69.ccls. and (key fob transponder) with ((lock adj out) lockout)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 14:29
S40	78	340/5.$.ccls. and (key fob transponder) with ((lock adj out) lockout)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 14:29
S41	41	((key fob transponder) with disabled with (list database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 14:38

S42	150	((key fob) with (disabled unauthorized) with (list database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 14:43
S43	16	S42 and "340"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 14:43
S44	23	((key fob) with (disabled unauthorized) with (list database)) and vehicle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 14:42
S45	1466	((ID identification identifier password access code PIN (personal adj identification adj number)) with (disabled unauthorized) with (list database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 14:43
S46	87	S45 and "340"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 14:54
S47	57	S45 and "340"/5.$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 14:44
S48	3	S45 and "70"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 14:55
S49	6	S45 and "307"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 14:55
S50	65	("5144667").URPN.	USPAT	OR	ON	2005/10/11 18:21
S51	8	("4763121" | "5185796" | "5561332" | "5561420" | "5684454" | "5774550" | "5945906" | "6323566").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/12 10:00
S52	320	((key fob transponder) with (transmit transmitting send sending) near3 challenge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 10:00

S53	75	S52 and vehicle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 10:54
S54	24	(vehicle car) and ((lockout (lock adj out)) adj list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 11:13
S55	89	(vehicle car) and (list database memory) with (unauthorized disabled) near3 (key id code identification identities)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 11:12
S56	127	(vehicle car) and (blacklist (black adj list))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 11:14
S57	4	340/5.72.ccls. and (list database memory) with (unauthorized disabled) near3 (key id code identification identities)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 11:14
S58	2	340/5.72.ccls. and ((lockout (lock adj out)) adj list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 11:13
S59	0	340/5.72.ccls. and (blacklist (black adj list))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 11:14
S60	2	340/5.72.ccls. and (list database memory) with (unauthorized disabled) near3 (user driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 11:14
S61	3	340/5.22.ccls. and (list database memory) with (unauthorized disabled) near3 (user driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 11:15
S62	156	(vehicle car) and (list database memory) with (unauthorized disabled) near3 (user driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 11:25

S63	33971	(vehicle car) and (list database memory) near4 (user driver key id code identification identities)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 11:26
S64	225	340/5.72.ccls. and (list database memory) near4 (user driver key id code identification identities)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 11:26
S65	12	340/5.72.ccls. and ((list database memory) near4 (user driver key id code identification identities) with (unauthorized ("not" near3 (authorized allowed access)) disabled deactivated))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 11:34
S66	15	"701"/$.ccls. and ((list database memory) near4 (user driver key id code identification identities) with (unauthorized ("not" near3 (authorized allowed access)) disabled deactivated))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 11:34
S67	23	"701"/$.ccls. and ((list database memory) near4 (user driver key id code identification identities) with (unauthorized ("not" near3 (authorized allowed access)) disabled deactivated invalid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 11:34
S68	13	340/5.72.ccls. and ((list database memory) near4 (user driver key id code identification identities) with (unauthorized ("not" near3 (authorized allowed access)) disabled deactivated invalid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 11:34
S69	2	340/5.72.ccls. and ((list database memory) near4 (user driver key id code identification identities) with (invalid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 11:34
S70	16	("4794268" | "4942393" | "5144667" | "5319364" | "5412379" | "5442341" | "5515036" | "5523746" | "5604488" | "5682135" | "5723911" | "5937065" | "5973611" | "6097307" | "6218932" | "6323566").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/12 13:07
S71	19	("5937065").URPN.	USPAT	OR	ON	2005/10/12 13:41
S72	53	340/5.72.ccls. and ((transmit transmitting send sending download downloading) near4 (list database memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 11:49